Application No. 10/580052 Response to the Office Action dated October 6, 2008

612-455-3801

MAR 0 5 2009

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) An organo-electronic functional material comprising a tris(arylamino)benzene represented by the general formula (I)

wherein A and B are each a group represented by the general formula (II)

$$(II)$$

in which R is an alkyl group of 1-6 carbons or a cycloalkyl group of 5 or 6 carbon atoms and n is 0, 1, 2 or 3, provided that n is 1, 2, or 3 in at least one of A and B and A and B may be the same or different from each other, and exhibiting a cyclic voltamogram in which a deviation of peak current of cyclic curves as measured 50 times at a sweep rate of 20 mV/s falls within ±10% of the average of peak current.

2. (Currently Amended) An The organo-electronic functional material as claimed in claim 1, which comprises a wherein the tris(arylamino)benzene wherein comprises the group A, which is a biphenylyl or a terphenyl group which has that is substituted with an alkyl group of 1-6 carbons or a cycloalkyl group of 5 or 6 carbon atoms at the terminal phenyl group thereof and the group B, which is a phenyl group which has that is

Application No. 10/580052
Response to the Office Action dated October 6, 2008

substituted with an alkyl group of 1-6 carbons or a cycloalkyl group having 5 or 6 carbons.

- 3. (Currently Amended) An-The organo-electronic functional material as claimed in claim 1, in which the tris(arylamino)benzene is 1,3,5-tris(N-(4'-methyl-4- biphenylyl)-N-(p-tolyl)amino)benzene.
- 4. (Currently Amended) A hole transporting agent, the agent comprising anthe organo-electronic functional material as claimed in claim 1.
- 5. (Currently Amended) An organic electroluminescence element, the element having a hole transporting layer containing the hole transporting agent as claimed in claim 4.
- 6. (Currently Amended) An organic electroluminescence element, the element having a hole transporting layer containing a the hole transporting agent as claimed in claim 4 and [[.]] a hole injecting layer containing a hole injecting agent comprising a tris (4-(N,N-diarylamino)phenyl)amine represented by the general formula (III)

wherein X and Y are each an aryl group and may be the same or different from each other.